### U.S. DEPARTMENT OF HOMELAND SECURITY Federal Emergency Management Agency

**ELEVATION CERTIFICATE** 

OMB No. 1660-0008 Expires March 31, 2012

Federal Emergency Management Agency National Flood Insurance Program

Important: Read the instructions on pages 1-9.

			SEC	TION A - PR	OPERTY INFORM	ATION	For Insurance Company Use:
the state of the s						Policy Number	
A2. Building Street Address (including Apt., Unit, Suite, and/or Bidg. No.) or P.O. Route and Box No.  Carol Campbell Recreational Complex						Company NAIC Number	
Ci	ity Georgetown S	tate SC ZIP C	ode 29440	************			- Landing to the control of the cont
	roperty Description (I Ashmore Campbell				Description, etc.)		······································
A5. La A6. At	atitude/Longitude: La	t. 33.35433 N L graphs of the bu	ong. 079.29407 W		) Non-residential/Sto	Horizontal Datum	n: ☐ NAD 1927 ⊠ NAD 1983
A8. Fo a) b)	or a building with a cr Square footage of No. of permanent f enclosure(s) within Total net area of fit Engineered flood o	rawispace or enc crawispace or en flood openings in a 1.0 foot above a ood openings in A	rclosure(s) the crawlspace or idjacent grade	O sq ft O sq in	a) Sq b) <b>N</b> o with c) Tot	nin 1.0 foot above a	ched garage 0 sq ft d openings in the attached garage adjacent grade 0 openings in A9.b 0 sq in
		SECT	TION B - FLOOD	INSURANCE	RATE MAP (FIRE	I) INFORMATIO	N
	IP Community Name Georgetown 450087		lumber	B2. County N Georgetown	ame		B3. State SC
	lap/Panel Number 450087 0002	B5. Suffix D	B6. FIRM Index Date 3/1/84		FIRM Panel ve/Revised Date 3/16/89	B8. Flood Zone(s) AE	B9. Base Flood Elevation(s) (Zone AO, use base flood depth)
B11. Indicate elevation datum used for BFE in Item B9: NGVD 1929 NAVD 1988 Other (Describe)  B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)? Yes No  Designation Date OPA							
	esignation Date	<del></del>				<u> </u>	***************************************
	esignation Date	SECTIO	N C - BUILDING I		INFORMATION (S	URVEY REQUIF	RED)
C1. Built *A n C2. Elev belo Ben	Iding elevations are to	pased on: pate will be required. A30, AE, AH, A (voulding diagram of the control	Construction Drawed when construction with BFE), VE, V1-V specified in Item A7.	ELEVATION awings* on of the buildir 30, V (with BFI	INFORMATION (S  Building Under ig is complete.  AR, AR/A, AR/AE e datum as the BFE.	Construction*	☑ Finished Construction  H, AR/AO. Complete Items C2.a-h
C1. Built  *A n C2. Elev belo Ben Con a)	Iding elevations are to new Elevation Certific vations — Zones A1-fow according to the tochmark Utilized	based on: cate will be required. A30, AE, AH, A (ouilding diagram ouilding diagram ouilding diagram ouilding basen	Construction Drawed when construction with BFE), VE, V1-V specified in Item A7.	ELEVATION awings* on of the buildin 30, V (with BFI . Use the same	INFORMATION (S  Building Under ig is complete.  E), AR, AR/A, AR/AE e datum as the BFE.  (c)	Construction*  AR/A1-A30, AR/A  Check the measure  t  meters (Puer	☐ Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)
C1. Built *A n C2. Elev belc Ben Con a)	Iding elevations are to new Elevation Certific vations — Zones A1-/ow according to the bachmark Utilized	based on: cate will be required. A30, AE, AH, A (ouilding diagram coulding diagram coulding basen ther floor	Construction Dr. red when construction with BFE), VE, V1-V specified in Item A7. n NGVD 1929 ment, crawlspace, or	ELEVATION awings* on of the buildin 30, V (with BFI . Use the same	INFORMATION (S  Building Under ig is complete.  E), AR, AR/A, AR/AE e datum as the BFE.  (r) 11.2   fee  NA.   fee	Construction*  AR/A1-A30, AR/A  Check the measure  t    meters (Puer  meters (Puer	☐ Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)  to Rico only)
C1. Built  *A n C2. Elev belo Ben Con a)	Iding elevations are to new Elevation Certific vations — Zones A1-fow according to the backmark Utilized	cased on: cate will be required. A30, AE, AH, A (ouilding diagrams Vertical Datur  (including basen her floor st horizontal structor of slab)	Construction Dr. red when construction with BFE), VE, V1-V specified in Item A7. n NGVD 1929 ment, crawlspace, or ctural member (V Zo	ELEVATION awings* on of the building 30, V (with BFI). Use the same enclosure floo	INFORMATION (S  Building Under ing is complete.  AR,	Construction*  AR/A1-A30, AR/A  Check the measure  of meters (Puer	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)  to Rico only)  to Rico only)  to Rico only)
C1. Built *A n C2. Elev belc Ben Con a) b) c)	Iding elevations are to new Elevation Certific vations — Zones A1-fow according to the bachmark Utilized inversion/Comments  Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of	cased on: cate will be required. A30, AE, AH, A (ouilding diagram of the control of the case of the ca	Construction Dr. red when construction with BFE), VE, V1-V specified in Item A7. n NGVD 1929 ment, crawlspace, or	ELEVATION awings* on of the buildir 30, V (with BFI Use the same enclosure floo	Building Under ing is complete.  E), AR, AR/A, AR/AE e datum as the BFE.  (r) 11.2	Construction*  AR/A1-A30, AR/A  Check the measure  t    meters (Puer  t    meters (Puer  t    meters (Puer  t    meters (Puer	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)  to Rico only)  to Rico only)  to Rico only)
C1. Built *A n C2. Elev belc Ben Con a) b) c) d) e)	Iding elevations are to new Elevation Certific vations — Zones A1-fow according to the brighten to the property of the property of the next high Bottom of the lowest elevation of (Describe type of ed Lowest adjacent (fir	cased on: cate will be required. A30, AE, AH, A (ouilding diagram coulding diagram coulding basen ther floor st horizontal structor of slab) I machinery or equipment and localished) grade necessity.	Construction Dr. red when construction with BFE), VE, V1-V specified in Item A7. n NGVD 1929  ment, crawlspace, or ctural member (V Zo suipment servicing the action in Comments) act to building (LAG)	ELEVATION awings* on of the buildir 30, V (with BFI Use the same enclosure floo	INFORMATION (S  Building Under ing is complete.  E), AR, AR/A, AR/AE e datum as the BFE.  In 11.2	Construction*  AR/A1-A30, AR/A  Check the measure  t	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)
C1. Built *A n C2. Elev belc Ben Con a) b) c) d) e)	Iding elevations are to new Elevation Certific vations — Zones A1-fow according to the bachmark Utilized inversion/Comments  Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of ed Lowest adjacent (fir Highest adjacent grays)	cased on: cate will be required. A30, AE, AH, A (ouilding diagrams Vertical Dature.  (including basen her floor st horizontal structor of slab) I machinery or equipment and localished) grade necessions.	Construction Dr. red when construction with BFE), VE, V1-V specified in Item A7. n NGVD 1929 ment, crawlspace, or ctural member (V Zo suipment servicing the	ELEVATION awings* on of the building 30, V (with BFI) Use the same enclosure floo	INFORMATION (S  Building Under on is complete.  E), AR, AR/A, AR/AE e datum as the BFE.  In 11.2	Construction*  AR/A1-A30, AR/A  Check the measure  t	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)
C1. Built *A n C2. Elev belc Ben Con a) b) c) d) e) f)	iding elevations are to new Elevation Certific vations — Zones A1-fow according to the both ark Utilized	cased on: cate will be required. A30, AE, AH, A (ouilding diagrams Vertical Dature.  (including basen ther floor st horizontal structor of slab) if machinery or equipment and localished) grade neade at lowest elements.	Construction Dr. red when construction with BFE), VE, V1-V specified in Item A7. n NGVD 1929  ment, crawlspace, or ctural member (V Zo suipment servicing the ation in Comments) xt to building (LAG) ext to building (HAG) vation of deck or sta	ELEVATION awings* on of the building 30, V (with BFI) Use the same enclosure floor nes only) ne building dirs, including R, ENGINEE	INFORMATION (S  Building Under ing is complete.  E), AR, AR/A, AR/AE e datum as the BFE.  IT 11.2	Construction*  AR/A1-A30, AR/A  Check the measure  t	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)
C1. Built *A. C2. Electoric Ben Con a) b) c) d) e) f) g) h)  This cel informa	iding elevations are to the Elevation Certification is to be significant or the Elevation of the Elevation of the Elevation of the Inversion/Comments  Top of bottom floor Top of the next high Bottom of the lowes Attached garage (to Lowest elevation of (Describe type of elevation is to be signification is to be significant or the Elevation of Elevation is to be significant or the Elevation of Elevation is to be significant or the Elevation of Elevation is to be significant or the Elevation of Elevation is to be significant or the Elevation of Eleva	cased on: cate will be required. A30, AE, AH, A (considering diagrams) Vertical Dature.  (including basen ther floor st horizontal structory or equipment and local structory or equipment and local structory or each at lowest element or local structory or each at lowest element and sealed it a information on that the entire will be a information on the entire the entire will be entired and sealed it at a information on the entire the entire will be entired and sealed it at a information on the entire will be entired and sealed it at a information on the entire will be entired and sealed it at a information on the entire will be entired and sealed it at a information on the entire will be entired and sealed it at a information on the entire will be entired and sealed it at a information and the entire will be entired and sealed it at a information and the entire will be entired and sealed it at a information and the entire will be entired and sealed it at a information and the entire will be entired and sealed it at a information and the entire will be entired and sealed it at a information and the entire will be entired and sealed it at a information and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entire will be entired as a constant and the entired as a constant and the entire will be entired as a constant and the entired as a constant and the	Construction Dr. red when construction with BFE), VE, V1-V specified in Item A7. In NGVD 1929  The nent, crawlspace, or ctural member (V Zo suipment servicing it action in Comments) act to building (LAG) ext to building (HAG) vation of deck or sta  ON D - SURVEYO  This Certificate repre punishable by fine of	ELEVATION awings* on of the building (30, V (with BFI) Use the same enclosure floo mes only) he building dirs, including R, ENGINEE sents my best or imprisonmen	Building Under g is complete.  E), AR, AR/A, AR/AE e datum as the BFE.  T) 11.2	Construction*  AR/A1-A30, AR/A  Check the measure  the meters (Puer  the meters (Puer)  the meters (Pu	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)
C1. Built *A n C2. Elev belc Ben Con a) b) c) d) e) f) g) h) This cei informa underst Che	iding elevations are to new Elevation Certification is to be signification of the towest adjacent (first towest ad	cased on: cate will be required. A30, AE, AH, A (continued on the continued on the continue	Construction Dr. red when construction with BFE), VE, V1-V specified in Item A7. In NGVD 1929  The nent, crawlspace, or ctural member (V Zo suipment servicing it action in Comments) act to building (LAG) ext to building (HAG) vation of deck or sta  ON D - SURVEYO  This Certificate repre punishable by fine of	enclosure floo mes only) me building mes building mes only) me building mes mes only mes only mes building mes mes only	Building Under g is complete.  E), AR, AR/A, AR/AE e datum as the BFE.  T) 11.2	Construction*  AR/A1-A30, AR/A  Check the measure  t	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)
C1. Built *A n C2. Elevi belc Ben Con a) b) c) d) e) f) g) h) This cee informa underst Che	iding elevations are to new Elevation Certific vations – Zones A1-fow according to the both ark Utilized	cased on: cate will be required. A30, AE, AH, A (coulding diagrams. Vertical Dature.  (including basen ther floor st horizontal structory or early grade nearly g	Construction Dr. red when construction with BFE), VE, V1-V specified in Item A7. In NGVD 1929  The nent, crawlspace, or ctural member (V Zo suipment servicing it action in Comments) act to building (LAG) ext to building (HAG) vation of deck or sta  ON D - SURVEYO  This Certificate repre punishable by fine of	elevation awings* on of the building (30, V (with BFI) use the same enclosure floo mes only) he building airs, including R, ENGINEE sents my best- or imprisonmen Were latitude licensed land	Building Under gis complete.  E), AR, AR/A, AR/AE e datum as the BFE.  T) 11.2	Construction*  AR/A1-A30, AR/A  Check the measure  t	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)
C1. Built *A n C2. Elect Ben Con a) b) c) d) e) f) g) h)  This cei informa underst Che Certifier	Iding elevations are to new Elevation Certific vations – Zones A1-fow according to the both archmark Utilized	cased on: cate will be required. A30, AE, AH, A (continued in a continued in a co	Construction Dr. red when construction with BFE), VE, V1-V specified in Item A7. In NGVD 1929  The nent, crawlspace, or ctural member (V Zo suipment servicing it ration in Comments) at to building (LAG) ext to building (HAG) vation of deck or sta  NN D - SURVEYO  This Certificate repre punishable by fine of back of form.	ELEVATION awings* on of the building 30, V (with BFI Use the same enclosure floo mes only) ne building dirs, including R, ENGINEE angineer, or arc sents my best- or imprisonmen Were latitude licensed land:	Building Under gis complete.  E), AR, AR/A, AR/AE e datum as the BFE.  T) 11.2	Construction*  AR/A1-A30, AR/A  Check the measure  at	Finished Construction  H, AR/AO. Complete Items C2.a-h  ment used.  to Rico only)  to Rico only)  to Rico only)  to Rico only)  to Rico only)  to Rico only)

IMPORTANT: In these spaces, o	copy the corresponding information fr	om Section A.	For Insurance Company Use:
Building Street Address (including Apt. Carroll Ashmore Campbell Marine Con	, Unit, Suite, and/or Bldg. No.) or P.O. Route on plex	and Box No.	Policy Number
City Georgetown State SC ZIP Code	29440		Company NAIC Number
SECTION	D - SURVEYOR, ENGINEER, OR ARC	HITECT CERTIFICATION (COI	NTINUED)
Copy both sides of this Elevation Certif	ficate for (1) community official, (2) insurance	agent/company, and (3) building ow	ner.
Comments .			
JEL			
Signature	Da	ite 3/11/11	☐ Check here if attachments
SECTION E - BUILDING ELE	VATION INFORMATION (SURVEY NOT	REQUIRED) FOR ZONE AO	AND ZONE A (WITHOUT BFE)
and C. For Items E1-E4, use natural of E1. Provide elevation information for grade (HAG) and the lowest adjate a) Top of bottom floor (including b) Top of bottom floor (including E2. For Building Diagrams 6-9 with preference of the provided of the provid	basement, crawlspace, or enclosure) is basement, crawlspace, or enclosure) is ermanent flood openings provided in Section of the building is feet meters ab titor equipment servicing the building is number is available, is the top of the bottom fill Unknown. The local official must certify this	sed. In Puerto Rico only, enter met s to show whether the elevation is a feet meters feet meters A ttems 8 and/or 9 (see pages 8-9 or meters above or below the ove or below the HAG. feet meters above or elevated in accordance with the sinformation in Section G.	ers. bove or below the highest adjacent above or below the HAG. above or below the LAG. of Instructions), the next higher floor HAG.  eve or below the HAG. community's floodplain management
SECTION	F - PROPERTY OWNER (OR OWNER)	S REPRESENTATIVE) CERTIF	TICATION
	ted representative who completes Sections A, ments in Sections A, B, and E are correct to the		//A-issued or community-issued BFE)
Property Owner's or Owner's Authorize	d Representative's Name		
Address	City	State	ZIP Code
Signature	Date	Date Telephone	
Comments			
			☐ Check here if attachments
	SECTION G - COMMUNITY INFO	RMATION (OPTIONAL)	
The local official who is authorized by law	v or ordinance to administer the community's to plete the applicable item(s) and sign below. C	floodplain management ordinance of	an complete Sections A, B, C (or E),
G1. The information in Section C w is authorized by law to certify a	ras taken from other documentation that has be elevation information. (Indicate the source and I Section E for a building located in Zone A (w	een signed and sealed by a license d date of the elevation data in the C	d surveyor, engineer, or architect who comments area below.)
	is G4-G9) is provided for community floodplain		restructor Ly or Lone 110.
G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate Of Comp	liance/Occupancy Issued
G7. This permit has been issued for: G8. Elevation of as-built lowest floor (in: G9. BFE or (in Zone AO) depth of flood: G10. Community's design flood elevation	ing at the building site:	☐ feet ☐ meters (PR) Datum ☐ feet ☐ meters (PR) Datum ☐ feet ☐ meters (PR) Datum	3
Local Official's Name		Title	
Community Name		Telephone	
Signature			
	i	Date	
Comments		Date	
Comments		Date	
Comments		Date	☐ Check here if attachments


FEMA Form 81-31, Mar 09

## Building Photographs See Instructions for Item A6.

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Carroll Ashmore Campbell Marine Complex	Policy Number
City Georgetown State SC ZIP Code 29440	Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least two building photographs below according to the instructions for Item A6. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." If submitting more photographs than will fit on this page, use the Continuation Page, following.

#### Front view:



# Building Photographs Continuation Page

	For Insurance Company Use:
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. Carroll Ashmore Campbell Marine Complex	Policy Number
City Georgetown State sc ZIP Code 29440	Company NAIC Number

If submitting more photographs than will fit on the preceding page, affix the additional photographs below. Identify all photographs with: date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View."

### Rear view:

